

Attorney Docket No. P13370-US2  
Customer Number 27045

## AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims

1. (Currently Amended) A method for routing packets to a mobile node comprising the steps of:

providing an address update, including a regional care-of-address associated with the mobile node, to a node communicating with the mobile node;

sending packets, from the node communicating with the mobile node, to a node associated with the regional care-of-address;

receiving packets at the node associated with the regional care-of-address;

determining, at the node associated with the regional care-of-address, a [[the]] current address of the mobile node;

routing the received packets to a node associated with the current address of the mobile node;

forwarding packets, from the node associated with the current address, to the mobile node; wherein the packets are sent between the node communicating with the mobile node and the mobile node in accordance with mobile Internet Protocol version 6 (MIPv6) protocol;

sending a message, from the mobile node to the node associated with the mobile node's regional care-of-address, requesting that packets be routed to the mobile node's current address and at least another current address of the mobile node;

routing a first group of packets, from the node associated with the mobile node's regional care-of-address, to a node associated with the mobile node's current address; and

routing a second group of packets, from the node associated with the mobile node's regional care-of-address, to a node associated with the at least another one of the mobile node's current addresses.

Amendment - PAGE 2 of 11  
EUS/J/P/05-9036

Attorney Docket No. P13370-US2  
Customer Number 27045

2. (Canceled)

3. (Previously Presented) The method of claim 1, wherein the node associated with the regional care-of-address implements mobility anchor point functionality.

4. (Original) The method of claim 1, wherein the node associated with the current address is an access router.

5. (Previously Presented) The method of claim 1, further comprising the step of: receiving a message, from the node associated with the mobile node's current address, by the mobile node, wherein the message indicates the availability of nodes which can be used as regional care-of-addresses for the mobile node.

6. (Previously Presented) The method of claim 5, wherein the nodes which can be used as regional care-of-addresses for the mobile node have mobility anchor point functionality and wherein the message is a router advertisement containing a mobility anchor point option.

7. (Original) The method of claim 5, further comprising the step of: receiving the message by the node associated with the mobile node's current address, wherein the message is received by the node associated with the mobile node's current address via a hierarchy of routers.

8. (Previously Presented) The method of claim 5, further comprising the step of: selecting, by the mobile node, a new regional care-of-address based upon information contained in the message.

9. (Previously Presented) The method of claim 8, wherein the new regional care-of-address is selected based upon one of a distance of a node associated with the

Amendment - PAGE 3 of 11  
EUS/J/P/05-9036

Attorney Docket No. P13370-US2  
Customer Number 27045

new regional care-of-address and the mobile node and a preference for the node associated with the new regional care-of-address.

10. (Previously Presented) The method of claim 9, wherein the preference for the node associated with the new regional care-of-address is based upon one of network loading, network failures and local network policies.

11. (Original) The method of claim 1, wherein the packets are sent from the node communicating with the mobile node to the mobile node without being routed by a home agent associated with the mobile node.

12. (Previously Presented) The method of claim 1, further comprising the steps of:

sending an update message from the mobile node to the node associated with the mobile node's regional care-of-address, wherein the update message includes an address associated with a node which the mobile node will be using as its new regional care-of-address;

receiving packets by the node associated with the mobile node's regional care-of-address; and

forwarding the received packets to the node associated with the mobile node's current address and to the node associated with the mobile node's new regional care-of-address.

13. (Previously Presented) The method of claim 12, wherein the update message is a binding update and wherein the binding update includes an indication that the mobile node is registering with the node associated with the mobile node's new regional care-of-address, that the mobile node requires bi-casting of packets.

14. (Canceled).

Amendment - PAGE 4 of 11  
EUS/J/P/05-9036

Attorney Docket No. P13370-US2  
Customer Number 27045

15. (Currently Amended) The method of claim [[14]] 1, further comprising the step of: determining, by the node associated with the mobile node's regional care-of-address, a load on the node associated with the mobile node's current address and a load on the node associated with the at least another one of the mobile node's current addresses, wherein packets are selected for the first group or the second group based on the determined loads.

16. (Currently Amended) The method of claim [[14]] 1, wherein the message is a binding update.

17. (Currently Amended) A network comprising:

a mobile node;

a node communicating with the mobile node, wherein the mobile node provides an address update, including a regional care-of-address associated with the mobile node, to the node communicating with the mobile node;

a node associated with the regional care-of-address, wherein the node communicating with the mobile node sends packets to the node associated with the regional care-of-address;

a node associated with a current address of the mobile node, wherein the node associated with the current address of the mobile node receives packets from the node associated with the regional care-of-address of the mobile node and sends the received packets to the mobile node;

means for sending a message to the node associated with the mobile node's regional care-of-address requesting that packets be routed to the mobile node's current address and at least another current address of the mobile node;

means for routing a first group of packets, from the node associated with the mobile node's regional care-of-address, to a node associated with the mobile node's current address; and

means for routing a second group of packets, from the node associated with the mobile node's regional care-of-address, to a node associated with the at least another one of the mobile node's current addresses;

Amendment - PAGE 5 of 11  
EUS/J/P/05-9036

Attorney Docket No. P13370-US2  
Customer Number 27045

wherein the network operates in accordance with mobile Internet Protocol version 6 (MIPv6) protocol.

18. (Canceled)

19. (Previously Presented) The network of claim 17, wherein the node associated with the regional care-of-address implements mobility anchor point functionality.

20. (Original) The network of claim 17, wherein the node associated with the current address is an access router.

21. (Previously Presented) The network of claim 17, further comprising:  
means for receiving a message, from the node associated with the mobile node's current address, by the mobile node,  
wherein the message indicates the availability of nodes which can be used as regional care-of-addresses for the mobile node.

22. (Previously Presented) The network of claim 21, wherein the nodes which can be used as regional care-of-addresses for the mobile node have mobility anchor point functionality and wherein the message is a router advertisement containing a mobility anchor point option.

23. (Original) The network of claim 21, further comprising: means for receiving the message by the node associated with the mobile node's current address, wherein the message is received by the node associated with the mobile node's current address via a hierarchy of routers.

24. (Previously Presented) The network of claim 21, further comprising:  
means for selecting, by the mobile node, a new regional care-of-address based upon information contained in the message.

Amendment - PAGE 6 of 11  
EUS/JJP/05-9036

Attorney Docket No. P13370-US2  
Customer Number 27045

25. (Previously Presented) The network of claim 24, wherein the new regional care-of-address is selected based upon one of a distance of a node associated with the new regional care-of-address and the mobile node and a preference for the node associated with the new regional care-of-address.

26. (Previously Presented) The network of claim 25, wherein the preference for the node associated with the new regional care-of-address is based upon one of network loading, network failures and local network policies.

27. (Original) The network of claim 17, wherein the packets are sent from the node communicating with the mobile node to the mobile node without being routed by a home agent associated with the mobile node.

28. (Previously Presented) The network of claim 17, further comprising:  
means for sending an update message from the mobile node to the node associated with the mobile node's regional care-of-address, wherein the update message includes an address associated with a node which the mobile node will be using as its new regional care-of-address;  
means for receiving packets by the node associated with the mobile node's regional care-of-address; and  
means for forwarding the received packets to the node associated with the mobile node's current address and to the node associated with the mobile node's new regional care-of-address.

29. (Previously Presented) The network of claim 28, wherein the update message is a binding update and wherein the binding update includes an indication that the mobile node is registering with the node associated with the mobile node's new regional care-of-address, that the mobile node requires bi-casting of packets and the length of time for which bi-casting of packets is required.

Attorney Docket No. P13370-US2  
Customer Number 27045

30. (Canceled)

31. (Currently Amended) The network of claim [[30]] 17, further comprising: means for determining, by the node associated with the mobile node's regional care-of-address, a load on the node associated with the mobile node's current address and a load on the node associated with the at least another one of the mobile node's current addresses, wherein packets are selected for the first group or the second group based on the determined loads.

32. (Currently Amended) The network of claim [[30]] 17, wherein the message is a binding update.